

# Suppressed Armament

2019 Products





## Quality Integrity Performance

**We believe in providing a Quality product, produced with Integrity,  
that is unrivaled in Performance.**

Suppressed Armament Systems started in 2001 in Evansville, Indiana. While in Indiana, SAS developed its comprehensive line of products and proprietary baffle systems that have put SAS at the cutting edge of suppressor technology. SAS has also worked extensively with Crane Naval Warfare Center in Indiana, with military solicitation, and Mil-Spec testing parameters.

It did not take long for the first SAS 5.56mm M-47 suppressor to be noticed. After seeing the M-47 in action at the range, the local Evansville Law Enforcement community became our first customers. From that day forward, Suppressed Armament Systems has grown rapidly without losing any momentum. Using our desire and passion to drive us, we continually improve the art of firearm suppression and enhanced rifle accuracy. With determination and hard work, SAS has had the great fortune of continued growth with every year of operation, and we are looking forward to the years to come. In 2012, SAS moved to Reno, Nevada, where we are currently located.



AR-15 with SAS 5.56mm Eadrom MX suppressor

The majority of SAS suppressor models are made entirely of titanium, which makes them very lightweight, yet still capable of handling high muzzle pressure. However, titanium suppressors are not rated for constant full-auto abuse because titanium cannot exceed 800 degrees F and still retain its full material strength. At temperatures below 800 degrees F, titanium is plenty strong, and is rated for magnum calibers when mounted on an appropriate length barrel. We also offer suppressor models made of stainless steel, that are full-auto rated and are designed to handle serious full-auto abuse.

Because of the modern geometry of SAS's proprietary baffle design, blowback is significantly less than that of comparable suppressors made by our competitors and we are able to achieve a greater level of sound reduction, compared to other suppressors of comparable size and weight. The baffle stacks on all of our rifle suppressors are fully welded, for a high level of durability and reliability.

Other manufacturers strive to be hearing-safe; we strive to be as quiet as possible, while still retaining a lightweight and compact suppressor design.



SAS 5.56mm Eadrom MX suppressor in action

The T.O.M.B. (Thread Over Muzzle Brake) suppressor mounting system was designed by SAS and first introduced in 2001. This system ensures that a suppressor is concentric with the bore of a barrel, which minimizes POI (point of impact) shift when shooting with a suppressor. SAS was the first in the industry to introduce a mounting system that utilizes a tapered mating surface between the muzzle device and the suppressor, which has been copied in one form or another by many of our competitors. When SAS was founded, 6 MOA of POI shift was acceptable and expected when mounting a suppressor to a rifle. Today, we have perfected the way in which a suppressor is mounted to a host weapon such that POI shift of 1 MOA or less is the norm (provided that the muzzle of the barrel is threaded properly).

Suppressed Armament added precision rifle builds in 2006, to accommodate our clients' needs in long range/tactical shooting. We have had great success in building some of the most well-rounded and accurate rifles available on the market today. Please contact us for more information on precision rifle builds and custom gunsmith work.

All SAS products are fully covered by our limited lifetime warranty.



SAS 7.62mm Reaper MX suppressor and custom precision rifle

**“Suppressed Armament Systems - Not just another stack of cone-shaped baffles.”**



**Suppressed Armament Systems, LLC  
280 Greg Street, Suite 3  
Reno, Nevada 89502  
775-322-2955 Office  
812-205-7623 Cell**

**[Bryan@suppressedarmament.com](mailto:Bryan@suppressedarmament.com)**  
**[www.suppressedarmament.com](http://www.suppressedarmament.com)**

# Products



## SUPPRESSED ARMAMENT SYSTEMS – SUPPRESSORS

<u>MODEL</u>	<u>CALIBER</u>	<u>MATERIAL</u>	<u>LENGTH</u>	<u>DIAMETER</u>
VENGEANCE MX	.338	Titanium	10"	1.75"
ARBITER MX	6.5mm, 7.62mm	Titanium	9"	1.5"
RESISTOR MX	6.5mm, 7.62mm	Titanium	8"	1.5"
REAPER MX	7.62mm	Titanium	7"	1.5"
REAPER SS	7.62mm	Stainless Steel	7"	1.5"
K9-L	7.62mm	Titanium	6"	1.75"
K9-S	7.62mm	Titanium	5"	1.75"
COVERT	.308 Win	Titanium	20"	1.375"
BARRICADE	6.5mm	Titanium	6.2"	1.5"
BARRICADE SIX	6mm	Titanium	5"	1.5"
SENTINEL MX	5.56mm	Titanium	7"	1.5"
EADROM MX	5.56mm	Titanium	5.5"	1.5"
CLAYMORE MX	5.56mm, 6.5mm, 7.62mm	Titanium	8.375"	1.5"
IMPACT	.45	Titanium or Aluminum	7"	1.375"
FRENZY	9mm	Titanium or Aluminum	7"	1.25"
TOLERANCE	.22	Titanium or Aluminum	5"	1"
308 STAINLESS	7.62mm	Stainless Steel	9"	1.5"
M-47	5.56mm	Stainless Steel	7"	1.5"
M-455	5.56mm	Stainless Steel	5.5"	1.5"

# VENGEANCE MX

The .338 VENGEANCE was designed from its inception to compete in the PSR solicitation. With strict guidelines on length, weight, and mounting requirements, SAS developed one of the most competitive .338 suppressors on the market.

CALIBER:	.338
RATING:	Up to .338 Lapua Magnum
WEIGHT:	24 oz. - Direct connect 21.5 oz. - T.O.M.B. system
LENGTH:	10"
DIAMETER:	1.75" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	37.5 dB
THREAD PITCH:	5/8x24, 3/4x24, M18x1.5, M18x1.0 * (Direct connect)
FINISH:	Black or FDE **
MSRP:	\$1,245 - Direct connect \$1,295 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.





# ARBITER MX

The ARBITER is the flagship model in our suppressor line. At 35.5 dB reduction at the muzzle and 15.5 oz. in weight (T.O.M.B. system), the ARBITER's performance is unrivaled in its class. Available in 6.5mm and 7.62mm. Approved for use from 5.56 NATO up to 300 Remington Ultra Mag.

CALIBER:	6.5mm or 7.62mm
RATING:	Up to 300 RUM
WEIGHT:	16.7 oz. - Direct connect (7.62mm) 14.9 oz. - T.O.M.B. system (7.62mm)
LENGTH:	9"
DIAMETER:	1.5" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	35.5 dB
THREAD PITCH:	5/8x24, 3/4x24, M18x1.5, M18x1.0 * (Direct connect)
FINISH:	Black or FDE **
FULL AUTO RATED:	Short bursts only
MSRP:	\$1,004 - Direct connect \$1,054 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# RESISTOR MX

The RESISTOR is an excellent performer across all platforms. Originally designed for the .308 gas-operated systems, the RESISTOR dramatically reduces gas blowback from the chamber and has a reduced perceived sound level at the shooter's ear. The RESISTOR has had enormous success on every rifle platform tested. Available in 6.5mm and 7.62mm.

CALIBER:	6.5mm or 7.62mm
RATING:	Up to 300 RUM
WEIGHT:	14.5 oz. - Direct connect (7.62mm) 13.2 oz. - T.O.M.B. system (7.62mm)
LENGTH:	8"
DIAMETER:	1.5" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	35 dB
THREAD PITCH:	5/8x24, 3/4x24, M18x1.5, M18x1.0 * (Direct connect)
FINISH:	Black or FDE **
FULL AUTO RATED:	Short bursts only
MSRP:	\$1,010 - Direct connect \$1,060 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# REAPER MX and REAPER SS

The REAPER was created for the 300 Whisper class of weapons systems. It has exceeded our expectations and has become very popular as a hunting suppressor on .300 Win Mag, .308 Win, 6.8 SPC, and .243 Win platforms, to name a few. Rated for the .300 magnums, it attains a solid 32.5 dB reduction on a 20" .308 Win barrel. The REAPER is available in both titanium and stainless steel versions.

	<u>TITANIUM</u>	<u>STAINLESS STEEL</u>
CALIBER:	7.62mm	7.62mm
RATING:	Up to .300 RUM	Up to .300 RUM
WEIGHT:	13.1 oz. - Direct connect 11.5 oz. - T.O.M.B. system	23.2 oz. - Direct connect 20.2 oz. - T.O.M.B. system
LENGTH:	7"	7"
DIAMETER:	1.5" maximum O.D.	1.5" maximum O.D.
MATERIAL:	6Al-4V Grade 5 titanium	304 stainless steel
SOUND REDUCTION:	35.5 dB	35.5 dB
THREAD PITCH:	5/8x24, etc. * (Direct connect)	5/8x24, etc. * (DC)
FINISH:	Black or FDE **	Black or FDE **
FULL-AUTO RATED:	Short bursts only	Yes
MSRP:	\$1,004 - Direct connect \$1,054 - T.O.M.B. system	\$550 - Direct connect \$600 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



## K9-S and K9-L

The K9 series are lightweight and compact 30-caliber suppressors, which are very versatile and can be used on a variety of platforms, from 300 Blackout to 300 Remington Ultra Mag. The K9-S (Short) is direct connect only and the K-9L (Long) uses the T.O.M.B. system. The K9 suppressors were designed with the help of a Law Enforcement Officer who works with police dogs, hence the name "K9."

	<u>K9-S</u>	<u>K9-L</u>
CALIBER:	7.62mm	7.62mm
RATING:	Up to 300 RUM	Up to 300 RUM
WEIGHT:	12.6 oz.	14.3 oz.
LENGTH:	5"	6"
DIAMETER:	1.75" maximum O.D.	1.75" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium	6Al-4V Grade 5 titanium
THREAD PITCH:	5/8x24, etc. * (Direct connect)	T.O.M.B. system
FINISH:	Black or FDE **	Black or FDE **
FULL-AUTO RATED:	Short bursts only	Short bursts only
MSRP:	\$945	\$995

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# COVERT

The COVERT titanium suppressor was designed to complement the Accuracy International AW/AE weapons systems. Both lighter and quieter than the European version, it is a must have for the true AI collector. This is a compact and accurate suppressed weapon system, with a muzzle level in the mid-130 dB range. 16" SAS Covert barrel required; 4150 chromoly steel, 1-8 twist rate.

CALIBER:	.308 Winchester
WEIGHT:	22 oz.
LENGTH:	20"
DIAMETER:	1.375" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	32 dB
FINISH:	Black or FDE **
MSRP:	\$1,395 - Covert suppressor \$1,000 - 16" Covert barrel

\*\*Custom colors available upon request, at an additional charge.



# BARRICADE SIX and BARRICADE

The BARRICADE, specifically created for PRS match shooters, is one of the best performing suppressors on the market today. Small in size and lightweight, the BARRICADE performs at an incredible sound pressure of 134.3 dB on a 26" .260 Remington barrel.

	<u>BARRICADE SIX</u>	<u>BARRICADE</u>
CALIBER:	6mm	6.5mm
RATING:	6mm magnum cartridges	6.5mm magnum cartridges
WEIGHT:	10.4 oz. - Direct connect 8.6 oz. - T.O.M.B. system	12 oz. - Direct connect 10.2 oz. - T.O.M.B. system
LENGTH:	5"	6.2"
DIAMETER:	1.5" maximum O.D.	1.5" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium	6Al-4V Grade 5 titanium
SOUND REDUCTION:	34.2 dB	34.2 dB
THREAD PITCH:	5/8x24, etc. * (Direct connect)	5/8x24, etc. * (DC)
FINISH:	Black or FDE **	Black or FDE **
MSRP:	\$995 - Direct connect \$1,045 - T.O.M.B. system	\$995 - Direct connect \$1,045 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



Barricade 6.5mm

# SENTINEL MX

The SENTINEL was introduced in 2010 as an option for those who want a 5.56mm suppressor with the best suppression available in the lightest weight possible. It weighs 11.5 ounces (T.O.M.B. system) and has a 34.5 dB reduction on a 10" AR-15 barrel.

CALIBER:	5.56mm
RATING:	Up to 22-250 Remington
WEIGHT:	13.7 oz. - Direct connect 11.5 oz. - T.O.M.B. system
LENGTH:	7"
DIAMETER:	1.5" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	34.5 dB
THREAD PITCH:	1/2x28 * (Direct connect)
FINISH:	Black or FDE **
FULL-AUTO RATED:	Short bursts only
MSRP:	\$908 - Direct connect \$958 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# EADROM MX

The EADROM (pronounced "add-rum", Irish word for 'lightweight') is truly a lightweight performer. At 5.5" overall length and 9.8 ounces, it's hearing-safe on 8" barrels chambered in 5.56 NATO. The EADROM adds a minimum amount of barrel length and adds almost no noticeable weight.

CALIBER:	5.56mm
RATING:	Up to 22-250 Remington
WEIGHT:	11.6 oz. - Direct connect 9.8 oz. - T.O.M.B. system
LENGTH:	5.5"
DIAMETER:	1.5" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	33.2 dB
THREAD PITCH:	1/2x28 * (Direct connect)
FINISH:	Black or FDE **
FULL-AUTO RATED:	Short bursts only
MSRP:	\$945 - Direct connect \$995 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.





# CLAYMORE MX

The CLAYMORE is a reflex suppressor and is a design that was brought to life at the request of our customers. The primary design feature that sets the CLAYMORE ahead of other reflex-type suppressors is the fact that it fully utilizes the volume of space that extends around the barrel of the weapon. The T.O.M.B. mount interfaces with the suppressor such that gas is forced into the rear chamber of the suppressor first, before the gas passes forward and through the baffles, which adds a dramatic increase in sound reduction performance. Extends 2.9" over a barrel, from the end of the muzzle. 0.750" maximum barrel diameter for extended T.O.M.B. compatibility.

CALIBER:	5.56mm, 6.5mm, and 7.62mm
RATING:	Up to magnum calibers
WEIGHT:	13.2 oz. (5.56mm)
LENGTH:	8.375"
DIAMETER:	1.5" maximum O.D.
MATERIALS:	6Al-4V Grade 5 titanium
SOUND REDUCTION:	33.8 dB
THREAD PITCH:	Extended T.O.M.B. only - 1/2x28 or 5/8x24 *
FINISH:	Black or FDE **
FULL-AUTO RATED:	Sort bursts only
MSRP:	\$995 with extended T.O.M.B.

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# IMPACT

Suppressed Armament has had a .45 ACP suppresser in production since 2001. The IMPACT performs dry at a level most of our competitors can only achieve when being fired "wet." Interchangeable booster pistons allow for attachment to any barrel thread size and adapters are also available for use on fixed-barrel weapons (i.e. SBRs and AR pistols). One piston is included with the suppressor. Available in titanium or aluminum.

CALIBER:	.45
RATING:	Up to .45 ACP and subsonic 300 Blackout
WEIGHT:	13.6 oz. - titanium (with piston) 8.5 oz. - aluminum (with piston)
LENGTH:	7" - titanium 8.5" - aluminum
DIAMETER:	1.375"
MATERIALS:	6Al-4V Grade 5 titanium or 6061-T6 aluminum
SOUND REDUCTION:	38 dB dry
THREAD PITCH:	.578x28, etc. * (piston)
FINISH:	Black or FDE **
FULL-AUTO RATED:	No
MSRP:	\$925 - titanium \$725 - aluminum

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# FRENZY

We have been producing a 9mm suppressor since the first year Suppressed Armament started, in 2001. The FRENZY is a great performing pistol-caliber suppressor with substantial sound reduction when operated dry. Interchangeable booster pistons allow for use on any barrel thread size and adapters are also available for use on fixed-barrel weapons (i.e. SBRs and AR pistols). One piston is included with the suppressor. Available in titanium or aluminum.

CALIBER:	9mm
RATING:	Up to 9mm and subsonic 300 Blackout
WEIGHT:	12.4 oz. - titanium (with piston) 7.5 oz. - aluminum (with piston)
LENGTH:	7"
DIAMETER:	1.25"
MATERIALS:	6Al-4V Grade 5 titanium or 6061-T6 aluminum
SOUND REDUCTION:	34 dB dry
THREAD PITCH:	1/2x28, etc. * (piston)
FINISH:	Black or FDE **
FULL-AUTO RATED:	No
MSRP:	\$925 - titanium \$725 - aluminum

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# TOLERANCE

The TOLERANCE is a user-serviceable rimfire suppressor. It is small, lightweight, extremely quiet, and can be disassembled for cleaning. The TOLERANCE is perfect for all .22 LR handguns on the market, as well as the longtime favorite Ruger 10/22. Available in titanium or aluminum. Disassembly tool included.

CALIBER:	.22
RATING:	Titanium - Up to 5.7x28 and .17WSM Aluminum - .22 LR and .22 Mag
WEIGHT:	4.8 oz. - titanium 3.8 oz. - aluminum
LENGTH:	5"
DIAMETER:	1"
MATERIALS:	6Al-4V Grade 5 titanium or 6061-T6 aluminum
SOUND REDUCTION:	43.4 dB
THREAD PITCH:	1/2x28 * (Direct connect)
FINISH:	Black or FDE **
FULL-AUTO RATED:	Titanium - Yes Aluminum - No
MSRP:	\$499 - titanium \$399 - aluminum

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



## 308 STAINLESS

The 308 STAINLESS steel suppressor is a stainless version of the ARBITER MX and is the choice for those looking for an affordable suppressor that can handle all the abuse that you can throw at it. It has great sound suppression, at an inexpensive price.

CALIBER:	7.62mm
RATING:	Up to 300 RUM
WEIGHT:	28.1 oz. - Direct connect 25.1 oz. - T.O.M.B. system
LENGTH:	9"
DIAMETER:	1.5"
MATERIALS:	304 stainless steel
SOUND REDUCTION:	35.5 dB
THREAD PITCH:	5/8x24, 3/4x24, M18x1.5, M18x1.0 * (Direct connect)
FINISH:	Black or FDE **
FULL-AUTO RATED:	Yes
MSRP:	\$687 - Direct connect \$737 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



## M-47

The M-47 is a full-auto rated, stainless steel suppressor that is ready for anything that you can throw at it. This is our go-to 5.56mm suppressor for extreme use and durability. We have M-47's in service with 20,000+ rounds documented through them and they are still performing as well as the day that they left our facility. The M-47 is the stainless steel, full-auto rated version of the titanium SENTINEL MX.

CALIBER:	5.56mm
RATING:	Up to 22-250 Remington
WEIGHT:	23.2 oz. - Direct connect 20.2 oz. - T.O.M.B. system
LENGTH:	7"
DIAMETER:	1.5"
MATERIALS:	304 stainless steel
SOUND REDUCTION:	35.5 dB
THREAD PITCH:	1/2x28 * (Direct connect)
FINISH:	Black or FDE **
FULL-AUTO RATED:	Yes
MSRP:	\$550 - Direct Connect \$600 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



## M-455

The M-455 suppressor was designed for a mission-specific needs requirement of a minimum overall weapon length. It was designed for vehicular operations and CQB, where overall suppressor length is the driving factor. In these environments, it was decided that minimizing muzzle blast was desired in place of the added size and weight of a full-size 5.56mm suppressor. The M-455 is very popular among SWAT teams across the country, which must operate from inside vehicles and buildings, where space is at a premium. The M-455 is the stainless steel, full-auto rated version of the titanium EADROM MX.

CALIBER:	5.56mm
RATING:	Up to 22-250 Remington
WEIGHT:	19.3 oz. - Direct connect 16.4 oz. - T.O.M.B. system
LENGTH:	5.5"
DIAMETER:	1.5" maximum O.D.
MATERIALS:	304 stainless steel
SOUND REDUCTION:	32.5 dB
THREAD PITCH:	1/2x28 * (Direct connect)
FINISH:	Black or FDE **
FULL-AUTO RATED:	Yes
MSRP:	\$577.00 - Direct connect \$627.00 - T.O.M.B. system

\*Custom thread pitch available upon request.

\*\*Custom colors available upon request, at an additional charge.



# MUZZLE DEVICES

Suppressed Armament Systems suppressors are offered with either a direct connect (direct thread) mounting system or the T.O.M.B. mounting system.



Direct Connect

T.O.M.B. System



## T.O.M.B.

The Thread Over Muzzle Brake was originally created by Tim Humston in 2001. It was designed based on Mr. Humston's passion for long range accuracy and repeatability. Today, 17 years later, this is the most copied suppressor mounting design since the HK 3-lug mount. Some companies try to subtly change it, calling it their taper mount; others offer a direct copy, even using our trademarked acronym T.O.M.B. Anything with threads and an angular taper is nothing more than an adaptation of Suppressed Armament's original, 17-year-old proven design.

The taper on the mount ensures consistency when mounting a suppressor and keeps the suppressor oriented parallel with the bore of the barrel - this ensures that POI (point of impact) is repeatable every time that the suppressor is installed and that there is very minimal POI shift, with and without the use of the suppressor. Of course, this is all assuming that the threads on the muzzle of the barrel of the weapon are perfectly concentric and that the muzzle brake is mounted properly.

The T.O.M.B. is available in four different calibers - .338 cal., 7.62mm/.30 cal., 6.5mm/.260 cal., and 5.56mm/.223 cal. Made of 4150 chromoly steel, with black nitride finish for corrosion resistance. .338 cal. = 2.5" OAL; all others = 2.25" OAL. MSRP \$135





### **Titanium T.O.M.B.**

The titanium T.O.M.B. is a much lighter-weight version of the standard T.O.M.B. and weighs only 1.9 oz. It is made of 6Al-4V Grade 5 titanium and is a must-have for lightweight hunting rifles and superlight tactical platforms. 2.25" OAL. MSRP \$199

### **Talon-S and Talon-L**

The Talon-Short (5.56mm) and Talon-Long (7.62mm) are flash hider versions of the T.O.M.B. and use the same taper mounting system as the T.O.M.B. The Talon-S must be used with the shorter Eadrom and M-455 suppressors and the Talon-L can be used with all other 5.56mm, 6mm, 6.5mm, and 7.62mm suppressors. Made of 4150 chromoly steel, with black nitride finish for corrosion resistance. 1.875" OAL and 2.25" OAL. MSRP \$135



The Talon-S is also available in a 'pinnable' version, with an extension with wrench flats. This version is indented to be pinned and welded on 14.5" barrels to meet the 16" minimum barrel length requirement. Made of 4150 chromoly steel, with black nitride finish for corrosion resistance. 2.25" OAL. MSRP \$135

### Alpha Brake and Alpha Twin Port Brake

The Alpha and Alpha Twin Port Brakes are shorter in overall length than the T.O.M.B. and are designed to be used with the shorter 5.56mm Eadrom and M-455 suppressors. The Alpha Brake is a combination muzzle brake and flash hider and the Twin Port version is strictly a muzzle brake. Both use the same taper mounting system as the T.O.M.B. Made of 4150 chromoly steel, with black nitride finish for corrosion resistance. 1.875" OAL. MSRP \$135



The Alpha Twin Port is also available in a 'pinnable' version, with an extension with wrench flats. This version is indented to be pinned and welded on 14.5" barrels to meet the 16" minimum barrel length requirement. Made of 4150 chromoly steel, with black nitride finish for corrosion resistance. 2.25" OAL. MSRP \$135

All muzzle devices include a thread protector (pictured).

### Blast Diverter

The Blast Diverter is made of 6Al-4V Grade 5 titanium and is very lightweight - 3.7 oz. It is designed to work with the full-length SAS mounts and directs muzzle blast and sound down range, rather than to the sides, towards your shooting partners. It still allows a muzzle brake to reduce felt recoil, but eliminates the side blast from the muzzle brake. It installs simply by threading over an SAS muzzle device. 2.3" OAL; 1.5" diameter. MSRP \$139; Brake/Diverter package \$250





From left to right: T.O.M.B. .338 cal., T.O.M.B. 7.62mm, T.O.M.B. 6.5mm, T.O.M.B. 5.56mm, Ti T.O.M.B. 5.56mm, Alpha Brake 5.56mm, Talon-L 7.62mm, and Talon-S 5.56mm.

## Muzzle Device Weights

Muzzle Device	1/2x28	9/16x24	5/8x24	3/4x24	M18x1.0	M18x1.5
T.O.M.B. - .338 cal.			4.1 oz.	3.3 oz.	3.7 oz.	3.7 oz.
T.O.M.B. - 7.62mm	3.6 oz.	3.2 oz.	3.2 oz.	2.5 oz.	2.7 oz.	2.7 oz.
T.O.M.B. - 6.5mm	3.9 oz.	3.6 oz.	3.2 oz.			
T.O.M.B. - 5.56mm	3.9 oz.					
Ti T.O.M.B. - 7.62mm	1.9 oz.		1.7 oz.			
Ti T.O.M.B. - 6.5mm	2.0 oz.		1.8 oz.			
Ti T.O.M.B. - 5.56mm	2.0 oz.		1.8 oz.			
Talon-S - 5.56mm	3.4 oz.					
Talon-S Pin - 5.56mm	4.2 oz.					
Talon-L - 7.62mm	3.6 oz.		3.3 oz.			
Alpha Brake - 5.56mm	3.4 oz.					
Alpha Twin Port - 5.56mm	3.4 oz.					
Alpha Twin Port Pin - 5.56mm	4.2 oz.					

